

## ***Second Hand Rectifiers***



**Second Hand Rectifiers**

Type	Output	Mains Supply	Dimensions (lxbxh)	Stock Number	Picture
Si-Rectifier oil filled	15V 4000A	3x400V 116 A	2030x1030x 1835	219	
Si-Rectifier air insulated	8V 10A	230V 0.15kVA	500x350x260	213	
Thyristor Rectifier with current and voltage regulation and polarization changer water cooled	12V 250A	3x 400V		3500a	
Si-Rectifier oil filled	30V 1000A	3x400V 38kVA	1345x685x 1585	177-8	
Selenium-Rectifier forced air cooled	15V 400A	3x400V 9kVA		123a	

**Second Hand Rectifiers**

Type	Output	Mains Supply	Dimensions (lxbxh)	Stock Number	Picture
Si-Rectifier oil filled	15V 3000A	3x400V 56kVA	2170x1270x 1750	180	
Si-Rectifier air cooled	100V 40A	3x400V 4.8kVA	800x500x800	203	
Si-Rectifier air cooled	120V 80A	3x400V 11.5kVA	600x400x1400	204	
Si-Rectifier oil filled	12V 2500A	3x 400V	1560x1400x1580	207	
Si-Rectifier oil filled	15V 200A	3	740x590x1530	202	